

Smart office assistant

Harnessing the power of the Cloud, these smart all in one printers automate everyday document processes, leaving you free to focus on core business activities.

Intelligent workflow tools

- Intuitive user interface
- Ricoh Smart apps
- Cloud-share services
- Smartphone connection

Ricoh's super-sized 10.1 inch Smart Operation Panel is host to a suite of intelligent workflow tools. Pre-installed Smart apps, such as ID Card Copy, automate time-consuming processes. More applications can be installed on demand. It is easy to print from and scan to smartphones and tablets, and critical documents can be scanned in colour directly to DropBox™ or Sharepoint™.

Simply more productive

- 35 & 43 ppm print speeds
- 52 256 gsm support
- Large paper capacity
- Offline stapler option

To save time, double sided originals are scanned in a single pass. The first immaculate 1200 dpi print is ready in under 6 seconds. Multipage documents are produced at speeds of 35 or 43 pages per minute and can be quickly collated using the offline stapler option. The optional high capacity paper trays further enhance productivity. It is easy to print onto envelopes and labels. And, with the printer switching from one tray to another, you need never run out of paper.

Despite their advanced functionality, Ricoh's new all in one printers are surprisingly easy to setup and support. With their compact design and quiet operation, they are a perfect fit for every office. Ricoh's installation wizard simplifies setup. To safeguard information, they support tap and go authentication and confidential documents can be securely locked, pending release. Clever energy saving features reduce power consumption and contribute to a low total cost of ownership.

A friendly and affordable solution

- Space saving design
- Secure authentication
- Confidential printing
- Low noise levels



RICOH IM 350/IM 350F/IM 430F

MAIN SPECIFICATIONS

	IM 350	IM 350F	IM 430F		
GENERAL					
Narm-up time		24 seconds			
First output speed: B/W	6 seconds	6 seconds	5 seconds		
Continuous output speed	35 ppm	35 ppm	43 ppm		
Memory: standard		2 GB			
Memory: maximum	2 GB				
IDD: standard	320 GB				
IDD: maximum	320 GB				
SPDF capacity	50 sheets				
Veight	30.5 kg				
Dimensions: W x D x H Dower source	476 x 442 x 510 mm				
	220 - 240 V, 50/60 Hz				
COPIER					
Multiple copying Copy resolution: maximum		Up to 999 copies			
Zoom	600x600 dpi From 25% to 400% in 1% steps				
PRINTER					
CPU		Intel Atom Processor Bay Trail 1.46GHz			
	DCI 50 DC	•			
Printer language: standard	PCL5e, PCL6, PostScript 3 (emulation), PDF direct (emulation) Genuine Adobe ®PostScript®3™, IPDS, PDF Direct from Adobe®				
Printer language: option Print resolution: maximum	Genuine Add		III AUUUCW		
letwork interface: standard	Ethomot 4	1,200 x 1,200 dpi	Host 2.0		
	Ethernet 10 base-T/100 base-TX/1000 base-T, USB Host 2.0				
Network interface: option		ECP, Wireless LAN (IEEE 802.11a/b/g/n), A			
Mobile printing capability	Apple AirPrint™, Mopria, Google Cloud Print, NFC, Ricoh Smart Device Connector				
Network protocol Vindows® environments	Mindouga 7 Mindouga 0.4 Mind	TCP/IP (IP v4, IP v6)	on or 2000D2 \\index		
Vindows® environments	environments Windows® 7, Windows® 8.1, Windows® 10, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012R2, Windows® Server 2016				
Mac OS environments		Macintosh OS X v10.10 or later			
JNIX environments	UNIX Sun® Solaris, HP-	UX, SCO OpenServer, RedHat® Linux, IBI	M® AIX, Citrix XenApp		
SAP® environments		SAP® R/3®, SAP® S/4®			
Other supported environments	A	NDPS Gateway AS/400® using OS/400 Host Print Transform IBM iSeries			
CANNER					
		43.4 ipm			
Scanning: B/W		·			
Scanning: B/W Scanning: full colour		43.4 ipm			
SCANNER Scanning: B/W Scanning: full colour Resolution: maximum File formats	Single Page TIFF, Single page JPEG, Single Multi page PD	43.4 ipm 600 dpi page PDF, Single page High compression			
Scanning: B/W Scanning: full colour Resolution: maximum		43.4 ipm 600 dpi			
Scanning: B/W Scanning: full colour Resolution: maximum File formats Scan modes		43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi			
Scanning: B/W Scanning: full colour Resolution: maximum File formats Scan modes FAX (IM 350F, IM 430F)		43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi			
Scanning: B/W Scanning: full colour Resolution: maximum Scan modes FAX (IM 350F, IM 430F)		43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card			
Scanning: B/W Scanning: full colour Resolution: maximum File formats Scan modes FAX (IM 350F, IM 430F) Circuit Fransmission speed Modem speed: maximum		43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps	page PDF/A		
Scanning: B/W Scanning: full colour Resolution: maximum File formats Scan modes FAX (IM 350F, IM 430F) Circuit Fransmission speed Modem speed: maximum Compression method		43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG	page PDF/A 2 seconds 33.6 Kbps		
ccanning: B/W ccanning: full colour desolution: maximum ille formats ccan modes ccax (IM 350F, IM 430F) circuit cransmission speed dodem speed: maximum compression method ccanning speed		43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm	page PDF/A 2 seconds 33.6 Kbps 28 spm		
Scanning: B/W Scanning: full colour Resolution: maximum iile formats Scan modes SCAX (IM 350F, IM 430F) Circuit Transmission speed Allodem speed: maximum Compression method Scanning speed Alemony: standard		43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages)	page PDF/A 2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages)		
Scanning: B/W Scanning: full colour Resolution: maximum Sile formats Scan modes SCAX (IM 350F, IM 430F) Circuit Transmission speed Modem speed: maximum Compression method Scanning speed Memory: standard Memory: maximum		43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm	page PDF/A 2 seconds 33.6 Kbps 28 spm		
Scanning: B/W Scanning: full colour Resolution: maximum File formats Scan modes FAX (IM 350F, IM 430F) Circuit Transmission speed Modem speed: maximum Compression method Scanning speed Memory: standard Memory: standard Memory: maximum	Multi page PDi	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages)	page PDF/A 2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages)		
Scanning: B/W Scanning: full colour Resolution: maximum File formats Scan modes FAX (IM 350F, IM 430F) Circuit Transmission speed Modem speed: maximum Compression method Scanning speed Memory: standard Memory: standard Memory: maximum	Multi page PD	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages)	page PDF/A 2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages)		
Scanning: B/W Scanning: full colour Resolution: maximum Gesclution: maximum Gesclution	Multi page PD	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages)	2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages) 4 MB, (320 pages)		
ccanning: B/W ccanning: full colour desolution: maximum ile formats ccan modes AX (IM 350F, IM 430F) circuit transmission speed dodem speed: maximum compression method ccanning speed demory: standard demory: maximum APER HANDLING tecommended paper size	Multi page PD	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 5 MB, (320 pages) 5 MB, (320 pages) 6 MB, (320 pages) 6 MB, (320 pages) 6 MB, (320 pages)	2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages) 4 MB, (320 pages)		
canning: B/W canning: full colour desolution: maximum desolution:	Multi page PD	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 5 MB, (320 pages) 5 MB, (320 pages) 6 MB, (320 pages) 7 MB, (320 pages) 8 MB, (320 pages) 8 MB, (320 pages) 9 MB, (320 pages)	2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages) 4 MB, (320 pages)		
canning: B/W canning: full colour Resolution: maximum rile formats can modes cax (IM 350F, IM 430F) Circuit ransmission speed flodem speed: maximum compression method cicanning speed flemory: standard flemory: maximum compression method cicanning speed flemory: standard compression method cicanning speed flemory: maximum compression method cicanning speed flemory: standard compression method cicanning speed flemory: maximum compression method compression met	Multi page PD	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 50 AMB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 ss tray:A4, A5, A6, B5, B6, Custom Size pa	2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages) 4 MB, (320 pages)		
Scanning: B/W Scanning: full colour Resolution: maximum Tile formats Scan modes Scax (IM 350F, IM 430F) Circuit Transmission speed Alloden speed: maximum Compression method Scanning speed Alemory: standard Alemory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper output: standard	Multi page PDi	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 501 Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 Ss tray:A4, A5, A6, B5, B6, Custom Size pa 500 sheets 2,100 sheets	2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages) 4 MB, (320 pages)		
Scanning: B/W Scanning: full colour Resolution: maximum File formats Scan modes Scan modes FAX (IM 350F, IM 430F) Circuit Fransmission speed Modem speed: maximum Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper output: standard	Multi page PDI Trays: (52 - 22	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 ss tray:A4, A5, A6, B5, B6, Custom Size pa 500 sheets 2,100 sheets 250 sheets	2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages) 4 MB, (320 pages)		
Scanning: B/W Scanning: full colour Resolution: maximum Sile formats Scan modes ScaX (IM 350F, IM 430F) Circuit Fransmission speed Modem speed: maximum Compression method Scanning speed Memory: standard Memory: maximum PaPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper weight Paper types	Multi page PDI Trays: (52 - 22	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 50 pages Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 ss tray:A4, A5, A6, B5, B6, Custom Size pa 500 sheets 2,100 sheets 250 sheets 0 g/m²), Bypass: (52 - 256 g/m²), Duplex: (5	2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages) 4 MB, (320 pages)		
Scanning: B/W Scanning: full colour Resolution: maximum Resolution	Multi page PDI Trays: (52 - 22	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 50 pages Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, A6, B5, B6 ss tray:A4, A5, A6, B5, B6, Custom Size pa 500 sheets 2,100 sheets 250 sheets 0 g/m²), Bypass: (52 - 256 g/m²), Duplex: (5	2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages) 4 MB, (320 pages)		
Scanning: B/W Scanning: B/W Scanning: full colour Resolution: maximum File formats Scan modes Scan modes Scan modes FAX (IM 350F, IM 430F) Circuit Fransmission speed Modem speed: maximum Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper weight Paper ypes Scology Power consumption: max. Power consumption: operation	Multi page PD	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 50 sheets 2,100 sheets 2,100 sheets 250 sheets 0 g/m²), Bypass: (52 - 256 g/m²), Duplex: (5 paper, Color paper, Letterhead, Preprinted paper, Letterhead, Prepr	2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages) 4 MB, (320 pages)		
Scanning: B/W Scanning: B/W Scanning: full colour Resolution: maximum File formats Scan modes Scan modes Scan modes FAX (IM 350F, IM 430F) Circuit Fransmission speed Modem speed: maximum Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper weight Paper ypes Scology Power consumption: max. Power consumption: operation	Multi page PD	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 50 sheets 2,100 sheets 2,100 sheets 250 sheets 0 g/m²), Bypass: (52 - 256 g/m²), Duplex: (5 aper, Color paper, Letterhead, Preprinted paper, Color paper, Letterhead, Preprinted pages	2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) aper		
Scanning: B/W Scanning: B/W Scanning: full colour Resolution: maximum File formats Scan modes Scan modes Scan modes FAX (IM 350F, IM 430F) Circuit Transmission speed Modem speed: maximum Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper input: standard Paper weight Paper ypes Scology Power consumption: max. Power consumption: operation Power consumption: ready Power consumption: sleep	Multi page PD	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 50 sheets 2,100 sheets 2,100 sheets 250 sheets 0 g/m²), Bypass: (52 - 256 g/m²), Duplex: (5 paper, Color paper, Letterhead, Preprinted paper, Letterhead, Prepr	2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) aper 22 - 162 g/m²) baper, Envelope, Label paper, OHP		
Scanning: B/W Scanning: full colour Resolution: maximum Sile formats Scan modes Scanning speed Modem speed: maximum Compression method Scanning speed Memory: standard Memory: maximum Scanning speed Memory: maximum Scanning speed Memory: standard Memory: maximum Scaper input: standard Scanning speed Scan	Multi page PD	43.4 ipm 600 dpi page PDF, Single page High compression F, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card PSTN, PBX 2 seconds 33.6 Kbps MH, MR, MMR, JBIG 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) 50 sheets 2,100 sheets 2,100 sheets 250 sheets 0 g/m²), Bypass: (52 - 256 g/m²), Duplex: (5 paper, Color paper, Letterhead, Preprinted paper, Letterhead, Preprinted pages) Less than 1,280 W 562 W 91.5 W	2 seconds 33.6 Kbps 28 spm 4 MB, (320 pages) 4 MB, (320 pages) 4 MB, (320 pages) aper 22 - 162 g/m²) baper, Envelope, Label paper, OHP		

3x 250-sheet paper tray 3x 500-sheet paper tray

RICOH IM 350/IM 350F/IM 430F

MAIN SPECIFICATIONS

IM 350F

OTHER OPTIONS

Fax connection unit, High cabinet, Low cabinet, IPDS unit, Offline stapler, Genuine PostScript 3, XPS direct print, IEEE 1284 I/F, IEEE 802.11 a/b/g/n I/F, USB Device Server, File format converter, OCR unit, Enhanced security HDD, Data overwrite security unit, Page keeper, Key counter bracket, Extended USB board, Paperlock

CONSUMABLES

method ISO/IEC 19798

Starter toner	14,000 prints	14,000 prints	17,400 prints
Drum		70,000 sheets	
Toner (black)	14,000 prints	14,000 prints	17,400 prints
Consumable vield measuring			



IM 430F



















